

TextGrid to Transcript


Dr. Oliver Ehmer

Albert-Ludwigs-Universität Freiburg

oliver.ehmer@romanistik.uni-freiburg.de


1 Gespeicherte Transkriptionsdateien öffnen

- **Menü Open → Read from file...**
- **Datei *beispiel.TextGrid* auswählen**
- **Öffnen klicken**




2 Skript öffnen

- ***Praat → Open praat script → Textgrid_to_transcript.praat öffnen***




3 Skript starten und einstellen

- Menü **Run** → **Run** → **OK**



```
endfor
endif
tierNameOutput$=""
endifor
writeInfoLine: output$
#===== Clean up
#---remove table and extract
nocheck selectObject: "Table myTextgridToGatTable"
nocheck Remove
nocheck selectObject: "Table myTextgridToGatTable_extract"
nocheck Remove
#---remove individual tiers
if include_tier_numbers$="-1"
else
for i from 1 to number_of_tiers
nocheck selectObject: tier_'i'
nocheck Remove
endifor
endif
#--- remove intermediary textgrid
nocheck selectObject: "TextGrid newTextGrid"
nocheck Remove
#---- select original textgrid
nocheck selectObject: "TextGrid " + selectedTextgrid$
```



Run script: TextGrid to Transcript

TIERS
Type in the numbers of the tiers you want to export, separated by spaces.
Use -1 if you want to export all tiers.

TIER ACRONYMS
Set the length of the speaker acronyms.
Use -1 if you want to use the full names. The maximum is 25.


PAUSES
Type in the number of the tier that contains the pauses.
Use -1 if there is no pause tier in your TextGrid.

TRANSCRIPT WIDTH
Set the width of the transcript.
Use -1 if you do not want to limit the width of the transcript. The minimum is 40.

Oliver Ehmer 2016, Creative Commons license

Standards Cancel Apply OK

4 Transkript kopieren



```
quattro_volte__sei_Dantoni
01 D: bon più di TRE o quattro volte non sEi venuto giù
      [massi.]
02 M: [ma sei] FU0ri;
03 S: (0.5)
04 D: QUANte allora dimmi [tU-]
05 M: [eh] non mi riCORdo;
06 D: ((risa))
07 S: (0.8)
08 M: allora una v0lta pioVEva=-
09      =una [v0lta: c'era la NEBBia,]
10 D: (((risa)))
11 M: (((risa)))
12 D: [ah bon] SI.
13 M: p0i periodi: di primaVEra-
14 S: (0.2)
15 M: e: fine esTate.
16 S: (1.7)
17 D: si ma questo una VOLt (.) una per [VOLta non è che::]
18 M: [per CUI: bon va] bEH:: adEs[so::-]
19 D: [quattro] VOLte.
20 S: (0.2)
21 M: S[EI.]
22 D: [coMUN]que-
23      (((risa)))
24 M: (((risa)))
25 F: (((risa)))
```

- **Kopieren**
- **In Word**
 - Einfügen
 - Schriftart → Courier New 10

